

Attributes & Properties

Name: 358H INTREPID® Filtration Media

Color: Yellow / White

Basis Weight: 2.5 ounces per square yard

Range 2.30 to 2.70 ounces per square yard

(84.8 grams / square meter)

Range 78.0 to 91.6 grams per square meter

Efficiency: 34.0 %

Minimum 23.0 %

TSI Model 8130 automated filter tester with 0.1 µm count median diameter NaCl

particles at 85 liters per minute.

Air Permeability: 550 cubic feet of air/minute per square foot of media

Range 460 to 670 cfm

(2.79 cubic meter of air / second per square meter of media)

Range 2.34 to 2.40 meter³ / sec per meter² of media

Textest FX 3300 Labotester III

Thickness: 0.125 inches

Range 0.08 to 0.165 inches

(3.18 millimeters)

Range 2.16 to 4.19 millimeters Testing load of 0.025 psi (172.4 Pascals)

Inside Core Diameter: 6.75 inches

(171 millimeters)

Roll Length: 1,200 linear yards

(1,097 linear meters)

Roll Diameter: 52 inches

(1321 millimeters)

estimated

Slit Width Tolerance: +1/4, -1/8 inch

Slit width tolerance measured at the outside of the roll, under tension.

Air Entering Side: The yellow air entering side of the filter media faces the core.

[⋄] Unless otherwise noted, the material described in this document is available for commercial sale and sold with a limited warranty. Kimberly-Clark Corporation and/or Kimberly-Clark Worldwide retains all intellectual property rights to this material, including trademarks and trade names. If the material described is defined as developmental, the material properties are estimates only and are not warranted by Kimberly-Clark Corporation.



Attributes & Properties

Name: 358H INTREPID® Filtration Media page 2 of 2

Packaging: Cardboard headers, full stretch wrap coverage, multiple

slit rolls of the same width may be packaged together

into a Powerpack

Roll Labeling Information:

Slit Roll Label

Slit roll number

Product name and description

Production date Basis weight Slit width Roll length Roll weight Country of origin

Powerpack Label

Powerpack number

Product name and description

Production date Basis weight Roll weight Slit width

Total square yards in the powerpack Total linear yards in the powerpack

Country of origin

Production Reference: NWFP-00023/3

Revision: NJZ 06/02/2010

[⋄] Unless otherwise noted, the material described in this document is available for commercial sale and sold with a limited warranty. Kimberly-Clark Corporation and/or Kimberly-Clark Worldwide retains all intellectual property rights to this material, including trademarks and trade names. If the material described is defined as developmental, the material properties are estimates only and are not warranted by Kimberly-Clark Corporation.