ersion .0	Revision Date: 06-04-2015		SDS Number: 0000000838	Date of last issue: - Date of first issue: 06-04-2015
ECTION	1. IDENTIFICATION			
Produ	uct name	:	HYSO Door Ha	ndle Sanitizer - Canister
Produ	uct code	:	35524, 33977	
Manu	afacturer or supplier's	deta	ails	
Comp	pany name of supplier	:	Kimberly-Clark	Corporation
Addre	ess	:	1400 Holcomb Roswell, GA 3	
Telep	hone	:	1-888-346-6452	2
Emer	gency telephone	:	1-877-561-658	7
Reco	mmended use of the	chen	nical and restric	tions on use
Reco	mmended use	:	Biocidal produc	t
Restr	ictions on use	:	For professiona	l users only.

GHS Classification	
Flammable aerosols	: Category 1
Eye irritation	: Category 2A
GHS Label element Hazard pictograms	
Signal Word	: Danger
Hazard Statements	 H222 Extremely flammable aerosol. H319 Causes serious eye irritation.
Precautionary Statements	 Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use. Response:

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	06-04-2015	10000000838	Date of first issue: 06-04-2015
		for several minu to do. Continue P308 + P313 IF attention.	P338 IF IN EYES: Rinse cautiously with water tes. Remove contact lenses, if present and easy rinsing. exposed or concerned: Get medical advice/ eye irritation persists: Get medical advice/ atten-

Other hazards

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 60 %

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
propan-2-ol	67-63-0	>= 50 - <= 60
Ethane, 1,1-difluoro-	75-37-6	>= 30 - <= 40
Isobutane	75-28-5	>= 10 - <= 20

SECTION 4. FIRST AID MEASURES

General advice	: No hazards which require special first aid measures.	
If inhaled	: Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact	: No hazards which require special first aid measures.	
In case of eye contact	: Immediately flush eye(s) with plenty of water. If eye irritation persists, consult a specialist.	
If swallowed	: Clean mouth with water and drink afterwards plenty of water. If large quantities of this material are swallowed, call a physi- cian immediately.	
Most important symptoms and effects, both acute and delayed	: Inhalation may provoke the following symptoms: Dizziness Tiredness	
Notes to physician	: For specialist advice physicians should contact the Poisons Information Service.	

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2)
		Dry powder

Vers 1.0	sion	Revision Date: 06-04-2015		SDS Number: 0000000838	Date of last issue: - Date of first issue: 06-04-2015
	Specific fighting	c hazards during fire	:	Do not allow run- courses.	off from fire fighting to enter drains or water
	Hazard ucts	ous combustion prod-	:	Carbon monoxide hydrocarbons (sn	e, carbon dioxide and unburned noke).
	Further	information	:	Fire residues and be disposed of in	to cool unopened containers. contaminated fire extinguishing water must accordance with local regulations. is in case of fire, cans should be stored sepa- containments.
		l protective equipment fighters	:	In the event of fire	e, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentra- tions. Vapors can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13). After cleaning, flush away traces with water.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Keep away from sources of ignition - No smoking.
Advice on safe handling	:	Keep away from fire, sparks and heated surfaces. Pressurized container: protect from sunlight and do not ex- pose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
Conditions for safe storage	:	Keep containers tightly closed in a dry, cool and well- ventilated place. BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 122 °F. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.
Materials to avoid	:	No special restrictions on storage with other products.

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	06-04-2015	10000000838	Date of first issue: 06-04-2015

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	OSHA Z-1
		TWA	400 ppm 980 mg/m3	OSHA P0
		STEL	500 ppm 1,225 mg/m3	OSHA P0
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL

Biological occupational exposure limits

Ingredients	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye protection	:	Not required under normal use. Avoid contact with eyes.
Skin and body protection	:	Not required under normal use.
Protective measures	:	No special protective equipment required.
Hygiene measures	:	Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	aerosol
Odor	:	alcoholic
Flash point	:	51 °C

Version	Revision Date:	MSDS Number:	Date of last issue: -	
1.0	06-04-2015	10000000838	Date of first issue: 06-04-2015	
	explosion limit explosion limit	: 12.7 %(V) : 2 %(V)		

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable under recommended storage conditions.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	: No hazards to be specially mentioned.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: None.
Hazardous decomposition products	: Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Ingredients: propan-2-ol: Acute oral toxicity	: LD50 Oral (Rat): 5,840 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 16000 ppm
Acute dermal toxicity	: LD50 Dermal (Rabbit): 12,800 mg/kg

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Product:

Assessment: Irritating to eyes.

Respiratory or skin sensitization

Product:

Remarks: Vapors may cause drowsiness and dizziness.

Carcinogenicity

Product:

rsion)	Revision Date: 06-04-2015	MSDS Number: 10000000838	Date of last issue: - Date of first issue: 06-04-2015
Carcir ment	nogenicity - Assess-	: Presumed to ha	ave carcinogenic potential for humans
IARC	:		is product present at levels greater than or lentified as probable, possible or confirmed by IARC.
OSH	A		is product present at levels greater than or lentified as a carcinogen or potential carcino-
NTP			is product present at levels greater than or lentified as a known or anticipated carcinoge
Repro	oductive toxicity		
Produ Repro sessm	oductive toxicity - As-	: Contains no ing	redient listed as toxic to reproduction
стот	-single exposure		
<u>Produ</u> Rema	uct: Irks: No data available		
sтот	-repeated exposure		
<u>Produ</u> Rema	<u>uct:</u> ırks: No data available		
Aspir	ation toxicity		
<u>Produ</u> May b	<u>uct:</u> be harmful if swallowed	and enters airways.	
Furth	er information		
<u>Produ</u> Rema iting.		exposure may be hea	dache, dizziness, tiredness, nausea and vor
CTION	12. ECOLOGICAL INF	ORMATION	
Ecoto	oxicity		
Produ	-		

Toxicity to fish

Remarks: No information available.

:

ersion 0	Revision Date: 06-04-2015		SDS Number: 0000000838	Date of last issue: - Date of first issue: 06-04-2015
	ity to daphnia and other ic invertebrates	:	Remarks: No info	rmation available.
Toxic	ity to algae	:	Remarks: No info	rmation available.
Ingre	dients:			
	an-2-ol: ity to fish	:	LC50: 9,640 mg/l Exposure time: 96	3 h
	ity to daphnia and other ic invertebrates	:	EC50: 10,000 mg Exposure time: 24	
Persi	stence and degradabili	ity		
<u>Produ</u> Biode	uct: gradability	:	Remarks: No info	rmation available.
Bioad	cumulative potential			
Produ	uct:			
Bioac	cumulation	:	Remarks: No info	rmation available.
Mobil	lity in soil			
Produ	uct:			
Mobili	ity	:	Remarks: Predicter ments	ed distribution to environmental compart-
	oution among environ- al compartments	:	Remarks: No data	a available
Othe	r adverse effects			
<u>Produ</u>	uct:			
Additi matio	onal ecological infor- n	:	No information on	ecology is available.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	: Dispose of as unused product. Do not re-use empty containers.

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	06-04-2015	10000000838	Date of first issue: 06-04-2015

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR	
UN/ID No.	: UN 1950
Proper shipping name	: AEROSOLS
Class	: 2.1
Packing group	: Not assigned by regulation
IMDG-Code UN number Proper shipping name	: UN 1950 : AEROSOLS
Class Packing group Marine pollutant	2.1Not assigned by regulationno

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

SECTION 15. REGULATORY INFORMATION

Massachusetts Right To Know		
propan-2-ol	67-63-0	50 - 70 %
Isobutane	75-28-5	30 - 50 %
ammonia	1336-21-6	1 - 5 %
Pennsylvania Right To Know		
propan-2-ol	67-63-0	50 - 70 9
Isobutane	75-28-5	30 - 50 9
7732-18-5	Not Assigned	5 - 10 %
TRIETHYLENE GLYCOL	112-27-6	5 - 10 %
ammonia	1336-21-6	1 - 5 %
New Jersey Right To Know		
propan-2-ol	67-63-0	50 - 70 9
Isobutane	75-28-5	30 - 50 9
7732-18-5	Not Assigned	5 - 10 %
TRIETHYLENE GLYCOL	112-27-6	5 - 10 %
ammonia	1336-21-6	1 - 5 %

California Prop 65 : This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

: This mixture contains only ingredients which have been

1.0 06-04-2015 10000000838 Date of first issue: 06-04-2015	Version 1.0	Revision Date: 06-04-2015	MSDS Number: 10000000838	Date of last issue: - Date of first issue: 06-04-2015	
--	----------------	------------------------------	-----------------------------	--	--

subject to a pre-registration according to Regulation (EU) No. 1907/2006 (REACH).

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION



The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8